

No.: GZ1105068067/CHEM Date: JUN 02, 2011 Page 1 of 13

SHENZHEN AOCHUAN TECHNOLOGY CO., LTD MIAOXI INDUSTRIAL PARK, GUANLAN TOWN, BAOAN DISTRICT, SHENZHEN CITY CHINA

The following sample(s) was/were submitted and identified on behalf of the applicant as Thermal Pad

SGS Job No. : SZ13147197

SGS Internal Reference No. : 4.1

Tested sample information : Model No.: TP150

Client Reference Information : TP080/TP120/TP100/TP150/TP 200/TP250/TP300/STP060/

UTP100/SPA/SPC/SPE/TC23G/TC30G/TC45G

Date of Sample Received : MAY 30, 2011

Testing Period : MAY 30, 2011 TO JUN 02, 2011

Test Requested : Selected test (s) as requested by client.

Test Method : Please refer to next page(s).

Test Result(s) : Please refer to next page(s).

Signed for and on behalf of SGS-CSTC Ltd.

Manson Yang Approved Signatory

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.

him. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon relicts in a Client's instructions, if any. The Company's sole responsibility is to its Client and this document is unascation from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or typically or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The company is the transaction of the company in this test report refer only to the sample(s) tested. This document cannot be reproduced except in full, without prior approval of the Company.

133Kaztu Raal,Seintech Park Guangstou Economic & Technology Development District, Guangstou Clina 510863 1 (86-20) 82155555 f (86-20) 82075125 中国・广州・经济技术开发区科学城科珠路198号 郎第: 510863 1 (86-20) 82155555 f (86-20) 82075125



Test Report No.: GZ1105068067/CHEM Date: JUN 02, 2011 Page 2 of 13

Test Results:

Description for specimen 1: Grey sheet

RoHS Directive 2002/95/EC

Test Item(s)	Unit	Test Method (Reference)	Result	MDL	Limit
Cadmium (Cd)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	100
Lead (Pb)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	1000
Mercury (Hg)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	1000
Hexavalent Chromium (CrVI) by alkaline extraction	mg/kg	IEC 62321: 2008, UV-Vis	N.D.	2	1000
Sum of PBBs	mg/kg	-	N.D.	-	1000
Monobromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Dibromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Tribromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Tetrabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Pentabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Hexabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Heptabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5	
Octabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Nonabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Decabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Sum of PBDEs	mg/kg	-	N.D.	-	1000
Monobromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Dibromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Tribromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5	
Tetrabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.		
Pentabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Hexabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Heptabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Octabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Nonabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	
Decabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5	

Note:

- 1. mg/kg = ppm
- 2. N.D. = Not Detected (< MDL)
- 3. MDL = Method Detection Limit

Chemical Laboratory

4. "-" = Not regulated

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.bim. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Calignant's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document is unascelled for an accession from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or far intervention of the condition of the conditions.



Test Report No.: GZ1105068067/CHEM Date: JUN 02, 2011 Page 3 of 13

Elementary Analysis

Test Item(s)	Unit	Test Method (Reference)	Result	MDL
Antimony (Sb)	mg/kg	EPA 3052: 1996, ICP-OES	N.D.	10
Beryllium (Be)	mg/kg	EPA 3052: 1996, ICP-OES	N.D.	5

Note:

- 1. mg/kg = ppm
- 2. N.D. = Not Detected (< MDL)
- 3. MDL = Method Detection Limit

PAHs (Polynuclear Aromatic Hydrocarbons)

Test Item(s)	Unit	Test Method	Results	MDL
Naphthalene (NAP)	mg/kg	ZEK 01.2-08, GC-MS	N.D.	0.2
Acenaphthylene (ANY)	mg/kg	ZEK 01.2-08, GC-MS	N.D.	0.2
Acenaphthene (ANA)	mg/kg	ZEK 01.2-08, GC-MS	N.D.	0.2
Fluorene (FLU)	mg/kg	ZEK 01.2-08, GC-MS	N.D.	0.2
Phenanthrene (PHE)	mg/kg	ZEK 01.2-08, GC-MS	N.D.	0.2
Anthracene (ANT)	mg/kg	ZEK 01.2-08, GC-MS	N.D.	0.2
Fluoranthene (FLT)	mg/kg	ZEK 01.2-08, GC-MS	N.D.	0.2
Pyrene (PYR)	mg/kg	ZEK 01.2-08, GC-MS	N.D.	0.2
Benzo(a)anthracene (BaA)	mg/kg	ZEK 01.2-08, GC-MS	N.D.	0.2
Chrysene (CHR)	mg/kg	ZEK 01.2-08, GC-MS	N.D.	0.2
Benzo(b)fluoranthene (BbF)	mg/kg	ZEK 01.2-08, GC-MS	N.D.	0.2
Benzo(k)fluoranthene (BkF)	mg/kg	ZEK 01.2-08, GC-MS	N.D.	0.2
Benzo(a)pyrene (BaP)	mg/kg	ZEK 01.2-08, GC-MS	N.D.	0.2
Indeno(1-,2,3-c,d)pyrene (IPY)	mg/kg	ZEK 01.2-08, GC-MS	N.D.	0.2
Dibenzo(a,h)anthracene (DBA)	mg/kg	ZEK 01.2-08, GC-MS	N.D.	0.2
Benzo(g,h,i)perylene (BPE)	mg/kg	ZEK 01.2-08, GC-MS	N.D.	0.2
Sum of 16 PAHs acc. US EPA	mg/kg	-	N.D.	-

Note:

- 1. mg/kg = ppm
- 2. N.D. = Not Detected (< MDL)
- 3. MDL = Method Detection Limit

ZEK 01.2-08: Restraining maximum values for products

Parameter	Category 1	Category 2	Category 3
	toys with normal skin contact for children aged < 36	included in Category 1, with predictable contact with the skin longer than 30 s. (long-	with predictable skin contact
Benzo[a]pyrene (mg/kg)	<mdl (<0.2)***<="" td=""><td>1</td><td>20</td></mdl>	1	20

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms.and.conditions.

him. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon relicts for Calippine's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document is unasted to does not be reneasted on documents. Any unauthorized alteration, forgery or forget of the Company of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The document is shown in this test report refer only to the sample(s) tested. This document cannot be reproduced except in full, without prior approval of the Company.

/ ces Co Ltd | 193Ksztu Roof, Scintroth Part Guangstou Economic & Technology Development Diatric, Guangstou Citina 510663 1 (56-20) 82155555 f (86-20) 82075125 www.cn.sgs.com 中国・广州・经済技术开发区科学城科联路198号 邮網: 510863 1 (86-20) 82155555 f (86-20) 82075125 e sgs.china@sgs.com



Test Report No.: GZ1105068067/CHEM Date: JUN 02, 2011 Page 4 of 13

Sum of 16 PAH (US EPA)(mg/kg)**	<mdl (<0.2)***<="" th=""><th>10</th><th>200</th></mdl>	10	200
------------------------------------	--	----	-----

Remark:

** = Only PAH substances >0.2 mg/kg are taken into account while calculating the sum of PAHs.

PFOA & PFOS (Perfluorooctanoic acid & Perfluorooctane sulfonates)

Test Item(s)	Unit	Test Method (Reference)	Result	MDL
Perfluorooctanoic acid (PFOA) Perfluorooctane sulfonates (PFOS)	mg/kg	EPA 3550C: 2007, LC-MS	N.D.	10
PFOS – Acid PFOS – Metal Salt PFOS – Amide	mg/kg	EPA 3550C: 2007, LC-MS	N.D.	10

Note:

- 1. mg/kg = ppm
- 2. N.D. = Not Detected (< MDL)
- 3. MDL = Method Detection Limit

For reference: commission regulation (EU) No 757/2010 amending regulation (EC) No 850/2004:

- (1) For the purposes of this entry, Article 4(1) (b) shall apply to concentrations of PFOS equal to or below 10 mg/kg (0,001 % by weight) when it occurs in substances or in preparations.
- (2) For the purposes of this entry, Article 4(1) (b) shall apply to concentrations of PFOS in semi-finished products or articles, or parts thereof, if the concentration of PFOS is lower than 0,1 % by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or, for textiles or other coated materials, if the amount of PFOS is lower than $1\mu g$ /m² of the coated material.

Halogen

Test Item(s)	Unit	Test Method (Reference)	Result	MDL
Fluorine (F)	mg/kg	BS EN 14582:2007, IC	N.D.	50
Chlorine (Cl)	mg/kg	BS EN 14582:2007, IC	150	50
Bromine (Br)	mg/kg	BS EN 14582:2007, IC	N.D.	50
lodine (I)	mg/kg	BS EN 14582:2007, IC	N.D.	50

Note:

- 1. mg/kg = ppm
- 2. N.D. = Not Detected (< MDL)
- 3. MDL = Method Detection Limit

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.

him. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon relicts in a Client's instructions, if any. The Company's sole responsibility is to its Client and this document is unascation from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or typically or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The company is the transaction of the company in this test report refer only to the sample(s) tested. This document cannot be reproduced except in full, without prior approval of the Company.

中国·广州·经济技术开发区科学城科珠路198号

193 Kadru Raad Scientech Park Grangstrou Economic & Technology Development District Grangstrou China 5 10 663 1 (66-20) 82155555 f (86-20) 82075125 www.cn.sgs.co

邮编: 510863 1 (86-20) 82155555 f (86-20) 82075125 e sgs.china@sgs.com

^{*** =} In case that the maximum values exceed the limits of category 1, but are within the limits of category 2, one may confirm the suitability of the tested material which indented to be put in the mouth by additional specific migration tests of PAH components based on DIN EN 1186ff and §64 LFGB 80.30-1. The conclusion of the migration test results must be made based on food law criteria.



Test Report No.: GZ1105068067/CHEM Date: JUN 02, 2011 Page 5 of 13

TBBP-A (Tetrabromobisphenol A)

Test Item(s) Unit Test Method (Reference) Result MDL Tetrabromobisphenol A (TBBP-A) mg/kg EPA 3550C: 2007, GC-MS&HPLC-MS N.D. 10

Note:

1. mg/kg = ppm

2. N.D. = Not Detected (< MDL)

3. MDL = Method Detection Limit

Dimethyl Fumarate

Test Item(s) Unit Test Method (Reference) Result MDL Limit

Dimethyl Fumarate mg/kg SGS In-house method(GZTC CHEM-TOP-095), GC-MS

N.D. 0.1 0.1

Comment PASS

Note:

1. mg/kg = ppm

2. N.D. = Not Detected (< MDL)

3. MDL = Method Detection Limit

es Co. Lid

Reference Information:

Recommended maximum limit is with reference to Commission Decision 2011/135/EU (previously restricted under 2010/153/EU and 2009/251/EC). The presence of dimethyl fumarate in products should be determined against the maximum limit of 0.1 mg dimethyl fumarate per kg of product or part of the product.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.

him. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon relicts for Cating at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document is unasted to the company of the transaction documents. Any unauthorized alteration, forgery or forgety or the company of the company of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Your state of the law.

**Your

193Kaziu Rad Saintech Part Gangstou Extronic & Technology Development District, Gursphou China 510663 1 (86-20) 82155555 f (86-20) 82075125 www.cn.sgs.com 中国・广州・经济技术开发区科学城科珠路198号 郎錦: 510863 1 (86-20) 82155555 f (86-20) 82075125 e sgs.china@sgs.com




No.: GZ1105068067/CHEM Date: JUN 02, 2011 Page 6 of 13

ATTACHMENTS

RoHS Testing Flow Chart

- 1) Name of the person who made testing: Bella Wang / Cutey Yu / Ross Zhan
- 2) Name of the person in charge of testing: Adams Yu / Ryan Yang
- 3) These samples were dissolved totally by pre-conditioning method according to below flow chart (Cr6+ and PBBs/PBDEs test method excluded).






No.: GZ1105068067/CHEM Date: JUN 02, 2011 Page 7 of 13

ATTACHMENTS

Elementary Testing Flow Chart

- 1) Name of the person who made testing: Bella Wang
- 2) Name of the person in charge of testing: Adams Yu



This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms.and.conditions.

bim. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Capacity of findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document is unasted to does not a transaction from exercising all their lights and obligations under the transaction documents. Any unauthorized alteration, forgery or far first of the company of the conditions of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

What is a state of the condition of the company.

133 Kaztu Raad, Scientech Park Grangthou Economic & Technology Development District, Guangthou China 5 10 663 1 (56-20) 82155555 f (86-20) 82075125 中国 ·广州 ·经济技术开发区科学城科珠路198号

邮编: 510863 I (86-20) 82155555 f (86-20) 82075125 e sgs.china@sgs.com



No.: GZ1105068067/CHEM


Date: JUN 02, 2011

Page 8 of 13

ATTACHMENTS

PAHs Testing Flow Chart

- 1) Name of the person who made testing: Cutey Yu
- 2) Name of the person in charge of testing: Ryan Yang






No.: GZ1105068067/CHEM Date: JUN 02, 2011

Page 9 of 13

ATTACHMENTS

PFOA / PFOS Testing Flow Chart

- 1) Name of the person who made testing: Cindy Huang
- 2) Name of the person in charge of testing: Ryan Yang






No.: GZ1105068067/CHEM Date: JUN 02, 2011 Page 10 of 13

ATTACHMENTS

Halogen Testing Flow Chart

- 1) Name of the person who made testing: Liang Wang
- 2) Name of the person in charge of testing: Michelle Song



This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.

bim. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Cappany's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document on the condition of the company's sole responsibility is to its Client and this design of the condition of the conditi




No.: GZ1105068067/CHEM Date: JUN 02, 2011

Page 11 of 13

ATTACHMENTS

TBBP-A Testing Flow Chart

- 1) Name of the person who made testing: Cutey Yu
- 2) Name of the person in charge of testing: Ryan Yang



This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms.and.conditions.

bim. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Capacity of findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document is unasted to does not a transaction from exercising all their lights and obligations under the transaction documents. Any unauthorized alteration, forgery or far first of the company of the conditions of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

What is a state of the condition of the company.




No.: GZ1105068067/CHEM Date: JUN 02, 2011

Page 12 of 13

ATTACHMENTS

Dimethyl Fumarate Testing Flow Chart

- 1) Name of the person who made testing: Tina Zhao
- 2) Name of the person in charge of testing: Ryan Yang





No.: GZ1105068067/CHEM

Date: JUN 02, 2011

Page 13 of 13

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.

him. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon relicts in a Client's instructions, if any. The Company's sole responsibility is to its Client and this document is unascation from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or typically or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The company is the transaction of the company in this test report refer only to the sample(s) tested. This document cannot be reproduced except in full, without prior approval of the Company.

133Kaziu Road Sointech Part Guangstou Exercic & Technology Development District, Guangstou Exercic & Technology Development District, Guangstou Exercic & 166-20) 82155555 f (86-20) 82075125 www.cn.sgs.com 中国・广州・経済技术开发区科学城科珠路198号 郎錦: 510863 l (86-20) 82155555 f (86-20) 82075125 e sgs.china@sgs.com